

REPEAT...

NOCTURIA CAN BE
A RECURRING NIGHTMARE

WHAT IS NOCTURIA?

The leading cause of sleep fragmentation¹⁻³

NOCTURNAL POLYURIA

The leading cause of nocturia^{4,5}

NOCDURNA® low-dose and gender-specific desmopressin, is indicated for all adult patients irrespective of age, with tailored doses for men and women⁹

LEARN MORE

DIAGNOSING NOCTURIA

Tools for diagnosis

YOU CAN CONTACT US DIRECTLY BY EMAIL

CONTACT US

SIGN UP FOR MORE INFORMATION ABOUT NOCDURNA®

Name

Todd Cole

Email

todd_cole@gmail.com

SUBMIT

DOWNLOAD THE SUMMARY OF PRODUCT CHARACTERISTICS

DOWNLOAD SMPC

REFERENCES

1. Agarwal A et al. *Eur Urol* 2014;65:1211–17
2. Madhu C et al. *Int J Clin Pract* 2015;69,12:1508–16
3. Pesonen J et al. *Eur Urol* 2016;70(2):372–81
4. Weiss et al. *J Urol* 2011;186:1358–63
5. Park et al. *Korean J Urol* 2011;54:492–98
6. Bower W et al. *Neurourol Urodyn* 2017;36:697–705
7. Andersson F et al. *J Med Econ* 2016;19:1200–6
8. Kupelian V et al. *J Urol* 2011;185:571–7
9. NOCDURNA EU SmPC
10. van Kerrebroeck P et al. *Int J Clin Pract* 2010;64(6): 807–16